

PROJECT SHEET - 1744

SHIP LOADER: BATUM PORT

EQUIPMENT	Ship Loader
OPERATION MODE	1100tph (Fertilizer)
CLIENT	Wondernet Express
CONTRACT TYPE	Turnkey
LOCATION	Batumi /Georgia
COMMISSIONED	2020



ISKAR has completed design and manufacturing works for one 1100 tph capacity ship loader for Batumi Port / Georgia – Wondernet Express Carbamide Terminal. The ship loader is commissioned in 2020.

ISKAR Muhendislik Ltd. is solution provider and turnkey contractor for the materials handling machinery sector, with a special focus on port and dock cranes. ISKAR offers innovative technological solutions and tailored state of t art cranes as per customer specs.



PROJECT FIGURES		
Ship loader loading material	Mineral fertilizers	
Ship loader loading material bulk weight	720 - 1200 kg/m3	
Ship loader volumetric loading capacity	1500 m3/h	
Ship loader loading capacity	1100 t/h	
Vessel Type	Bulk Carrier	
Vessel Size	5000 – 50000 DWT	
Loading chute reach (from middle of rail span)	30,0 m	
Gantry gauge (span between middle of rails)	10500 mm	
Vertical Clearance under gantry, approx.	9.0 x 6.0 m	
Type of jetty rail	P 65	
Number of Wheels (sea side)	8 Nos	
Number of Wheels (land side)	6 Nos	
Ship loader travel distance to both sides of electrical feeding point, each approx.100 m		
Total travel distance	200 m	
Maximum Working Speeds (+/- 5%)		
Conveyor belt	2.4 m/s	
Slewing structure	0.5 rpm	
Luffing Cylinder	22 (28) mm/s	
Travelling	25.0 m/min	
Electric System	400V 3ph 50Hz	
all movements with VFD drive		





